L Number	Hits	Search Text	DB	Time stamp
1	12349	prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 07:24
2	25678	allocat$4 with (process or task or instance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 07:25
3	1590	(prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) with (process or task or instance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 07:25
4	291	(allocat$4 with (process or task or instance)) and ((prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) with (process or task or instance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 07:25
5	1054	(prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) near5 (process or task or instance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 07:32
6	16760	allocat$3 near5 (process or task or instance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 07:26
7	16937	allocat$4 near5 (process or task or instance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 07:32
8	199	(allocat$4 near5 (process or task or instance)) and ((prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) near5 (process or task or instance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 07:31
9	3058	(process or task or instance or thread) near3 ((address or memory) adj (space or range))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 07:33
10	17915	allocat$4 near5 (process or task or instance or thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 07:32
11	1132	(prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) near5 (process or task or instance or thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 07:32
12	2	(prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) with ((process or task or instance or thread) near3 ((address or memory) adj (space or range)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 07:32
13	135	((address or memory) adj (space or range)) near7 (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 08:51
14	245	(address adj calculat$3) adj stage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 09:11

15	12468	(prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) with2 ((address adj calculat$3) adj stage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 09:11
16	60	(prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) with ((address adj calculat$3) adj stage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 09:12
17	111	conditional$2 near2 (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 09:20
18	78	(conditional$2 near2 (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead))) with branch$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 09:18
19	33	(conditional$2 near2 (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead))) not ((conditional$2 near2 (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead))) with branch$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 09:18
20	122	selective$2 near2 (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 09:41
21	6	(range or space) same (selective$2 near2 (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 09:41

L Number	Hits	Search Text	DB	Time stamp
1	2	20030163645.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:13
2	1	defining and 20030163645.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:13
3	1	(integrated adj circuit) and 20030163645.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:29
4	10063	(range or subset or sub-set) adj (address or memory or storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:16
5	658	(delimit$3 or de-limit$3) near5 address$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:24
6	12349	prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:24
7	42	((delimit$3 or de-limit$3) near5 address$3) with register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:25
8	15	pointer and (((delimit$3 or de-limit$3) near5 address$3) with register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:28
9	154	(prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:29
10	835	register with ((range or subset or sub-set) adj (address or memory or storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:29
11	762037	(integrated adj circuit) or ic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:30
12	11367	pointer near5 register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:30
13	225	(pointer near5 register) and (register with ((range or subset or sub-set) adj (address or memory or storage)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:30
14	135	((integrated adj circuit) or ic) and ((pointer near5 register) and (register with ((range or subset or sub-set) adj (address or memory or storage))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:30

C:\APPS\EAST\Workspaces\10080859.wsp

15	83	(pointer near5 register) same (register with ((range or subset or sub-set) adj (address or memory or storage)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:31
16	71	((integrated adj circuit) or ic) and ((pointer near5 register) same (register with ((range or subset or sub-set) adj (address or memory or storage))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:33
17	64	(((integrated adj circuit) or ic) and ((pointer near5 register) and (register with ((range or subset or sub-set) adj (address or memory or storage))))) not (((integrated adj circuit) or ic) and ((pointer near5 register) same (register with ((range or subset or sub-set) adj (address or memory or storage)))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:35
18	54	mtrr	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:35
19	25	mtrr same (address or pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:51
20	0	(mtrr same (address or pointer)) not mtrr	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:51
22	0	(prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) and (mtrr not (mtrr same (address or pointer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:52
21	29	mtrr not (mtrr same (address or pointer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:52

C:\APPS\EAST\Workspaces\10080859.wsp